







# **Manor Road**

Sidcup DA15 7BG

### Freehold

3 bedroom town house

Off street parking and integral garage Chain Free

Master bedroom with ensuite

Downstairs cloakroom & upstairs family bathroom

Kitchen/diner with separate utility area

'L' shaped lounge





This modern three bedroom town house is offered chain free and situated just a short walk from Sidcup station and Station Road itself with its local shops, M & S Food Hall, cafes and restaurants. The property is also convenient for Sidcup High Street, bus routes and the A20 motorway network.

The property is arranged over 3 storeys and briefly comprises: entrance hall, downstairs cloakroom and utility room on the ground floor, lounge and kitchen to the first floor and master bedroom with ensuite, two further bedrooms and family bathroom on the second floor.

Externally there is off street parking to the front and integral garage and to the rear is a garden laid to lawn.





#### **Directions**

From our Sidcup office turn left and proceed along Station Road, take the second turning on the right into Manor Road Closest Stations: Sidcup (0.18 mi) Albany Park (1.07 mi) New Eltham (1.36 mi) Closest Schools: West Lodge School (0.18 mi) Birkbeck Primary School (0.18 mi) Chislehurst and Sidcup Grammar School (0.39 mi)



## **Local Authority Council Tax Band EPC Rating**


Bexley London Borough Council


С


## Manor Road, Sidcup, DA15

Approximate Area = 866 sq ft / 80.4 sq m Garage = 124 sq ft / 11.5 sq m Total = 990 sq ft / 92 sq m


For identification only - Not to scale











SECOND FLOOR



#### **Drewery Property Consultants**

128 Station Road Sidcup Kent DA157AF

#### Contact

020 8269 6605 info@drewery.co.uk www.drewery.co.uk Agents Note: Whilst every care has been taken to prepare these particulars, they are for guidance purposes only. All measurements are approximate and are for general guidance purposes only and whilst every care has been taken to ensure their accuracy, they should not be relied upon and potential buyers/tenants are advised to recheck the measurements.





